



MFC-L2710DW Compact 4-in-1 mono laser printer



PRINT



COPY



SCAN



FAX



WIRELESS

The MFC-L2710DW is ideal for the busy home and small office. This simple to use and easy to setup device, provides professional quality prints, together with built-in wired and wireless connectivity for printing from mobile phones and tablets.



Key features:

- Fast print speeds of up to 30 pages per minute
- Automatic 2-sided print
- 250 sheet paper input
- 50 sheet Auto Document Feeder
- Built in wired and wireless connectivity
- Up to 700 page* in-box toner
- 64MB memory

Performance designed for businesses of tomorrow

Successor to the BLI Pick Award winning 'MFC-L2700DW', the MFC-L2710DW is designed to be set-up and ready to be used in minutes. Compact, and desktop friendly. You can enjoy fast print speeds up to 30 pages per minute, and a large 50 sheet automatic document feeder, for multi-page copying and scanning. Easily share documents, by scanning and sending directly via email, or save to SharePoint and other destinations.

Maximum value for money

The wireless MFC-L2710DW, comes with a host of cost saving elements, including, automatic 2-sided printing, and high yield toner cartridges reduces the cost of each print job.

Quiet without compromise

Print quietly without compromising on speed or quality, operating at the lowest decibel in class (under 50dB). This desktop friendly printer, can sit on your desk, printing quietly at full speed in the background, while you work.

Designed to go the distance

Built to perform for longer. The MFC-L2710DW, has been designed with you in mind. Made from robust and hardwearing materials and supported by outstanding service as standard, providing the peace of mind that your printer will keep on going.

* Approx declared yield value in accordance with ISO/IEC 19752

General

Technology

Electrophotographic Laser Printer

Laser Classification

Class 1 Laser
Product (IEC60825-1:2014)

Processor

600MHz

Memory

64MB

Wired Network Interface

10Base-T/100Base-TX

Wireless Network

IEEE 802.11b/g/n

Control Panel

2 Line, 16 character LCD Display

Local Interface

Hi-Speed USB 2.0

Print

Print Speed Standard (A4)

Up to 30ppm (pages per minute)

Print Speed 2-Sided (A4)

Up to 15 sides per minute (8 sheets per minute)

Resolution

Up to 1,200 x 1,200dpi

Quiet Mode

A mode to reduce the printing noise by reducing the print speed to 13ppm

Automatic 2-Sided Printing

Print on to both sides of the paper

FPOT (First Print Out Time)

Less than 8.5 seconds from ready mode

Warm Up Time

Less than 9 seconds from sleep mode

Print Languages

GDI

Printer Functions

N-up Printing³

Reduce up to 2, 4, 9, 16 or 25 A4 pages into just one A4 page (Mac, up to 2, 4, 6, 9, or 16)

Watermark Printing⁴

Watermark your documents with predefined text or with your own user-defined messages

Booklet Printing⁴

Print documents in A5 booklet format using automatic or manual 2-sided print

Printer Driver

Windows[®]

Windows[®]10 (32 & 64 bit editions)
Windows[®]8 (32 & 64 bit editions)
Windows[®]7 (32 & 64 bit editions)
Windows[®] Server 2016 (32 & 64 bit editions)*
Windows[®] Server 2012, 2012R2 & 2008R2*
Windows[®] Server 2008 (32 & 64 bit editions)*

Macintosh⁵

macOS 10.8.x or greater

Linux⁵

CUPS, LPD/LPRng (32 & 64 bit editions)

* Windows[®] Server supports network printing only

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows[®] & Mac[®] only.

4 Windows[®] only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Standard Paper Handling

Paper Input²
Standard Tray - 250 sheets
Manual feed slot - 1 sheet

Automatic Document Feeder (ADF) – 50 Sheets

Paper Output²
Face Down - 120 sheets
Face Up (Straight Paper Path) - 1 sheet

Media Specification

Media Types & Weights
Standard
Plain & recycled paper (between 60 - 163g/m²)
Manual feed slot
Plain, Recycled, Bond, Label, Envelope, (between 60 - 230g/m²)
2-sided Print
Plain & recycled paper (between 60 - 105g/m²)

Envelope & Label Printing
Yes, from the Manual feed slot: support for 1 envelope / sheet

Media Sizes
Standard Tray
A4, Letter, A5, A5 (Long Edge), A6, Executive
Manual feed slot
Width: 76.2mm to 215.9mm x
Length: 127mm to 355.6mm
2-sided Print
A4

Mobile / Web Based Printing & Scanning

Brother iPrint&Scan (Android/ iPad / iPhone / iPod/ Windows® Phone/ 8,10 & RT)
Print from, scan to, preview copies and check the machine status from a mobile/ tablet/ laptop device

Google Cloud Print 2.0
Print most common file types from any Google Cloud Print enabled application

AirPrint
Print from and scan to most common file types from any AirPrint enabled application

Brother Print Service Plugin
Print from Android devices without a dedicated App

Mopria
Print most common file types from Mopria supported Android devices

Copy

Speed - (A4)
Up to 30cpm (copies per minute)

FCOT (First Copy Time Out)
Less than 10 seconds from ready mode

Resolution
Up to 600 x 600dpi

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Scan

Scanner Type

CIS (Contact Image Sensor)

Colour & Mono Scanning

Yes

Scan Speed Mono

23.6ipm (images per minute)

Scan Speed Colour

7.5ipm (images per minute)

Scan Resolution from ADF

Up to 600 x 600dpi

Scan Resolution from Scanner Glass

Up to 1,200 x 1,200dpi

Interpolated Scan

Resolution

Up to 19,200 x 19,200dpi

Standard Functions⁷

Scan to E-mail, OCR, Image & File

Scan Features

Remove Background, Skip Blank Page⁴, ID Scan⁴,

1 to 2 Scan⁴, Split PDF

Scan to SharePoint^{4&7}

Scan documents directly into SharePoint

Windows® Web Services Scanning

Scan direct into Windows® (from Windows®7 & onwards) without needing to install a scanner driver

Scanner Driver

Windows®

TWAIN & WIA

Windows®10

(32 & 64 bit editions)

Windows®8.1

(32 & 64 bit editions)

Windows®8

(32 & 64 bit editions)

Macintosh⁵

TWAIN & AirPrint

macOS 10.8.x or

greater

Linux⁵

SANE(32 & 64 bit editions)

Fleet Management Tools

BRAdmin Light^{4&5}

LAN/WAN

management software

Embedded Web Server

Web based print management software embedded onto the device

PrintSmart Solutions (optional)

PrintSmart Cost Control

Monitor and control printing costs for all Brother and 3rd party devices

For more information on

PrintSmart Solutions

visit: www.brother.eu

Address Book

Speed Dials

200 locations for E-mail addresses and fax numbers

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Network and Security

Wired Network

Built in Ethernet 10Base-T/100Base-TX

Network Protocols

TCP/IP (IPv4 and IPv6)

Wired Network Security

SMTP-AUTH, SNMP v3, SSL/TLS (SMTP, HTTP, IPP)

Wireless Network

IEEE 802.11b/g/n (Infrastructure Mode / Adhoc Mode)

Wireless Set-Up Support

Wi-Fi Protected Setup (WPS)

Wireless Applications

Vertical Pairing

IPv4

ARP, RARP, BOOTP, DHCP, APIPA (Auto IP), WINS/NetBIOS name resolution, DNS Resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, SMTP Client, IPP/IPPS, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMP, Web Services (Print), SNTP Client

IPv6

NDP, RA, DNS resolver, mDNS, LLMNR responder, LPR/LPD, Custom Raw Port/Port9100, IPP/IPPS, SMTP Client, FTP Server, SNMPv1/v2c/v3, HTTP/HTTPS server, TFTP client and server, ICMPv6, SNTP Client, Web Services (Print)

E-mail Notifications

Automatically have the device send e-mail alerts when it requires attention, such as when the toner is low or needs replacing

E-mail Reports

Receive usage reports on a regular basis via e-mail

IP Filter

Restrict which network users can or cannot access the device over the network (IPv4 only)

Setting Lock

Secures access to the device's control panel by locking it

Supplies

Inbox Toner

700 pages¹

Standard Yield Toner

1,200 pages¹ (TN-2410)

High Yield Toner

3,000 pages¹ (TN-2420)

Drum (DR-2400)

Approx 12,000 pages

Carton Contents

Toner cartridge, drum, power supply cord, driver software for Windows®, Quick Set-Up Guide (PC interface cable NOT included)

The frequency of replacement consumables will vary depending on the complexity of the prints, the percentage of coverage, paper size, page per job, and the type of media.

Dimensions and Weights

With Carton (WxDxH)

410 x 398.5 x 318.5 mm - 11.8kg

Without Carton (WxDxH)

580 x 517 x 434 mm - 14.7kg

Duty Cycles

Recommended Monthly

Up to 2,000 pages monthly print volume

Maximum Monthly⁶

Up to 15,000 pages monthly print volume

¹ Approx declared yield value in accordance with ISO/IEC 19752.

² Calculated with 80g/m² paper.

³ Windows® & Mac® only.

⁴ Windows® only.

⁵ Optional download.

⁶ Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

⁷ Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.

Environment

Power Consumption

Printing - 440W (260W in quiet mode),
Ready - 42W,
Sleep - 6.2W,
Deep sleep - 0.6W, Off - 0.03W

TEC Value

1.232kWh / Week

Sound Pressure Level

Printin

g
48dbA,
Quiet mode
printing 44dbA,
Ready
Up to 30dbA

Power Saving

This enables the printer to consume less energy when not in use

Toner Saving

This reduces the toner usage and helps to reduce the total cost of printer ownership

Energy Star

Yes

Eco Mode

Yes

Fax

Fax Modem

33,600bps (Super G3)

PC Fax Send^{9&3}

Send faxes directly from your PC

PC Fax Receive^{9&4}

Receive faxes directly to your PC

Fax Forwarding

Sends a fax received in memory to another pre-programmed fax number

1 Approx declared yield value in accordance with ISO/IEC 19752.

2 Calculated with 80g/m² paper.

3 Windows® & Mac® only.

4 Windows® only.

5 Optional download.

6 Maximum number of printed pages per month can be used to compare designed durability between like Brother products.

For maximum printer life, it is best to choose a printer with a duty cycle that far exceeds your print requirements.

7 Requires Brother software.

All specifications correct at the time of printing and are subject to change.

Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.